

Appendix B: Plant Species List at Columbus G. McLeod Preserve

Scientific and Common names from this list were obtained from Wunderlin 2003.

Scientific Name	Common Name	Native Status	EPPC	FDACS	IRC	FNAI
Family: Blechnaceae (midsorus fern)						
<i>Blechnum serrulatum</i>	swamp fern	native				
Family: Dennstaedtiaceae (cuplet fern)						
<i>Pteridium aquilinum</i>	bracken fern	native				
Family: Polypodiaceae (polypody)						
<i>Campyloneurum phyllitidis</i>	long strap fern	native			R	
<i>Pleopeltis polypodioides</i>	resurrection fern	native				
<i>Polypodium</i> spp.	polypody	native				
Family: Pteridaceae (brake fern)						
<i>Acrostichum danaeifolium</i>	giant leather fern	native				
Family: Thelypteridaceae (marsh fern)						
<i>Thelypteris interrupta</i>	hottentot fern	native			R	
<i>Thelypteris kunthii</i>	widespread maiden fern	native				
Family: Vittariaceae (shoestring fern)						
<i>Vittaria lineata</i>	shoestring fern	native				
Family: Agavaceae (agave)						
<i>Yucca aloifolia</i>	Spanish bayonet	native				
Family: Alismataceae (water plantain)						
<i>Sagittaria latifolia</i>	broadleaf arrowhead	native				
Family: Amaryllidaceae (amaryllis)						
<i>Crinum americanum</i>	string-lily	native				
Family: Araceae (arum)						
<i>Colocasia esculenta</i>	wild taro	exotic	I			
<i>Lemna obscura</i>	little duckweed	native				
<i>Pistia stratiotes</i>	water lettuce	exotic	I			
Family: Arecaceae (palm)						
<i>Roystonea regia</i>	Florida royal palm	exotic				
<i>Sabal palmetto</i>	cabbage palm	native				
<i>Serenoa repens</i>	saw palmetto	native				
Family: Bromeliaceae (pineapple)						
<i>Tillandsia balbisiana</i>	reflexed wild-pine	native		T		
<i>Tillandsia fasciculata</i> var. <i>densispica</i>	cardinal airplant	native		E		
<i>Tillandsia recurvata</i>	ballmoss	native				
<i>Tillandsia setacea</i>	southern needleleaf	native				
<i>Tillandsia usneoides</i>	Spanish moss	native				
<i>Tillandsia utriculata</i>	giant airplant	native		E		
Family: Cyperaceae (sedge)						
<i>Cyperus involucratus</i>	umbrella plant	exotic	II			
<i>Cyperus odoratus</i>	fragrant flatsedge	native				
Family: Orchidaceae (orchid)						
<i>Encyclia tampensis</i>	Florida butterfly orchid	native		CE		
Family: Poaceae (grass)						
<i>Dichanthelium ensifolium</i> var. <i>ensifolium</i>	cypress witchgrass	native				
<i>Oplismenus hirtellus</i>	woodsgrass	native				
<i>Phragmites australis</i>	common reed	native				
Family: Pontederiaceae (pickerelweed)						
<i>Eichhornia crassipes</i>	water-hyacinth	exotic	II			
Family: Smilacaceae (smilax)						
<i>Smilax auriculata</i>	earleaf greenbrier	native				
<i>Smilax bona-nox</i>	saw greenbrier	native			R	

Appendix B: Plant Species List at Columbus G. McLeod Preserve

Scientific and Common names from this list were obtained from Wunderlin 2003.

Scientific Name	Common Name	Native Status	EPPC	FDACS	IRC	FNAI
Family: Amaranthaceae (amaranth)						
<i>Alternanthera philoxeroides</i>	alligatorweed	exotic	II			
<i>Amaranthus hybridus</i>	pigweed	exotic				
<i>Atriplex cristata</i>	crested saltbush	native				
Family: Anacardiaceae (cashew)						
<i>Schinus terebinthifolius</i>	Brazilian pepper	exotic	I			
<i>Rhus copallinum</i>	winged sumac	native				
<i>Toxicodendron radicans</i>	eastern poison ivy	native				
Family: Annonaceae (custard-apple)						
<i>Annona glabra</i>	pondapple	native				
Family: Apiaceae (carrot)						
<i>Cicuta maculata</i>	spotted water hemlock	native			I	
Family: Apocynaceae (dogbane)						
<i>Sarcostemma clausum</i>	white twinevine	native				
Family: Araliaceae (ginseng)						
<i>Hydrocotyle</i> spp.	marshpennywort	native				
<i>Schefflera actinophylla</i>	Australian umbrella tree	exotic	I			
Family: Asteraceae (aster)						
<i>Ambrosia artemisiifolia</i>	common ragweed	native				
<i>Baccharis halimifolia</i>	groundsel tree	native				
<i>Eupatorium mikanioides</i>	semaphore thoroughwort	native			R	
<i>Mikania cordifolia</i>	Florida Keys hempvine	native			R	
<i>Pluchea odorata</i>	sweetscent	native				
<i>Sphagneticola trilobata</i>	creeping oxeye	exotic	II			
Family: Bignoniaceae (trumpet creeper)						
<i>Campsis radicans</i>	trumpet creeper	native			CI	
Family: Celtidaceae (hackberry)						
<i>Celtis laevigata</i>	hackberry	native				
Family: Euphorbiaceae (spurge)						
<i>Bischofia javanica</i>	Javanese bishopwood	exotic	I			
Family: Fabaceae (pea)						
<i>Abrus precatorius</i>	rosary pea	exotic	I			
<i>Amorpha fruticosa</i>	false indigobush	native			I	
<i>Canavalia rosea</i>	baybean	native				
<i>Dalbergia ecastaphyllum</i>	coinvine	native				
<i>Erythrina herbacea</i>	coralbean	native				
<i>Leucaena leucocephala</i>	white leadtree	exotic	II			
<i>Senna pendula</i> var. <i>glabrata</i>	valamuerto	exotic	I			
Family: Fagaceae (beech)						
<i>Quercus laurifolia</i>	laurel oak	native				
<i>Quercus virginiana</i>	live oak	native				
Family: Lamiaceae (mint)						
<i>Callicarpa americana</i>	American beautyberry	native				
<i>Trichostema dichotomum</i>	forked bluecurls	native				
Family: Lauraceae (laurel)						
<i>Persea palustris</i>	swamp bay	native				
Family: Malvaceae (mallow)						
<i>Talipariti tiliaceum</i> var. <i>tiliaceum</i>	sea hibiscus	exotic				
<i>Urena lobata</i>	caesarweed	exotic	II			

Appendix B: Plant Species List at Columbus G. McLeod Preserve

Scientific and Common names from this list were obtained from Wunderlin 2003.

Scientific Name	Common Name	Native Status	EPPC	FDACS	IRC	FNAI
Family: Moraceae (mulberry)						
<i>Ficus aurea</i>	strangler fig	native				
<i>Morus rubra</i>	red mulberry	native			R	
Family: Myricaceae (bayberry)						
<i>Myrica cerifera</i>	wax myrtle	native				
Family: Myrsinaceae (myrsine)						
<i>Ardisia escallonioides</i>	marlberry	native				
<i>Rapanea punctata</i>	myrsine	native				
Family: Myrtaceae (myrtle)						
<i>Eugenia axillaris</i>	white stopper	native				
<i>Melaleuca quinquenervia</i>	punktree	exotic	I			
<i>Myrcianthes fragrans</i>	Simpson's stopper	native		T	R	
<i>Psidium guajava</i>	guava	exotic	I			
Family: Olacaceae (olax)						
<i>Schoepfia chrysophylloides</i>	graytwig	native			R	
<i>Ximenia americana</i>	hog plum	native				
Family: Oleaceae (olive)						
<i>Fraxinus caroliniana</i>	pop ash	native			R	
Family: Polygonaceae (buckwheat)						
<i>Polygonum punctatum</i>	dotted smartweed	native				
Family: Rhizophoraceae (mangrove)						
<i>Rhizophora mangle</i>	red mangrove	native				
Family: Rubiaceae (madder)						
<i>Chiococca alba</i>	snowberry	native				
<i>Psychotria nervosa</i>	wild coffee	native				
<i>Psychotria sulzneri</i>	shortleaf wild coffee	native				
<i>Randia aculeata</i>	white indigoberry	native				
Family: Rutaceae (citrus)						
<i>Zanthoxylum fagara</i>	wild lime	native				
Family: Sapindaceae (soapberry)						
<i>Cupaniopsis anacardioides</i>	carrotwood	exotic	I			
Family: Sapotaceae (sapodilla)						
<i>Sideroxylon celastrinum</i>	saffron plum	native				
<i>Sideroxylon reclinatum</i>	Florida bully	native			R	
Family: Urticaceae (nettle)						
<i>Boehmeria cylindrica</i>	false nettle	native				
Family: Vitaceae (grape)						
<i>Ampelopsis arborea</i>	peppervine	native				
<i>Cissus verticillata</i>	possum grape	native				
<i>Parthenocissus quinquefolia</i>	Virginia creeper	native				
<i>Vitis cinerea</i> var. <i>floridana</i>	Florida grape	native				
<i>Vitis rotundifolia</i>	muscadine	native				

Key

Florida EPPC Status

I = species that are invading and disrupting native plant communities

II = species that have shown a potential to disrupt native plant communities

FDACS (Florida Department of Agriculture and Consumer Services)

E = Endangered

T = Threatened

CE = Commercially Exploited

IRC (Institute for Regional Conservation)

CI = Critically Imperiled

I = Imperiled

R = Rare

FNAI (Florida Natural Areas Inventory)

G= Global Status

T= Threatened

CE= Commercially Exploited

1= Critically imperiled because of extreme rarity (5 or fewer occurrences or less than 1000 individuals) or because of extreme vulnerability to extinction due to some natural or man-made factor.

2= Imperiled because of rarity (6 to 20 occurrences or less than 3000 individuals) or because of vulnerability to extinction due to some natural or man-made factor.

3= Either very rare and local throughout its range (21-200 occurrences or less than 10,000 individuals) or found locally in a restricted range or vulnerable to extinction from other factors.

4= Apparently secure

5= Demonstrably secure