

Appendix B: Plant Sightings at Hickory Swamp Preserve

Scientific and common names from this list were obtained from Wunderlin, 2003.

Scientific Name	Common Name	Native Status	FLEPPC	FDACS	IRC	FNAI
Family: Polypodiaceae (polypody)						
<i>Phlebodium aureum</i>	golden polypody	native				
<i>Pleopeltis polypodioides</i>	resurrection fern	native				
Family: Thelypteridaceae (marsh fern)						
<i>Thelypteris dentata</i>	downy maiden fern	exotic				
<i>Thelypteris kunthii</i>	southern shield fern	native				
Family: Vittariaceae (shoestring fern)						
<i>Vittaria lineata</i>	shoestring fern	native				
Family: Cupressaceae (cedar)						
<i>Juniperus virginiana</i>	red cedar	native				
<i>Taxodium distichum</i>	bald cypress	native				
Family: Pinaceae (pine)						
<i>Pinus elliottii</i> var. <i>densa</i>	south Florida slash pine	native				
Family: Agavaceae (agave)						
<i>Yucca filamentosa</i>	Adam's needle	native				
Family: Alismataceae (water plantain)						
<i>Sagittaria latifolia</i>	duck potato	native				
Family: Amaryllidaceae (amaryllis)						
<i>Zephyranthes simpsonii</i>	redmargin zephyrilly	native		T	I	G2G3/S2
Family: Arecaceae (palm)						
<i>Phoenix reclinata</i>	Senegal date palm	exotic	II			
<i>Sabal palmetto</i>	cabbage palm	native				
<i>Serenoa repens</i>	saw palmetto	native				
Family: Bromeliaceae (pineapple)						
<i>Tillandsia balbisiana</i>	northern needleleaf	native		T		
<i>Tillandsia fasciculata</i>	cardinal airplant	native		E		
<i>Tillandsia setacea</i>	southern nettleleaf	native				
<i>Tillandsia usneoides</i>	Spanish moss	native				
<i>Tillandsia utriculata</i>	giant airplant	native		E		
Family: Commelinaceae (spiderwort)						
<i>Commelina diffusa</i> var. <i>diffusa</i>	common dayflower	exotic				
<i>Commelina erecta</i>	whitemouth dayflower	native				
Family: Cyperaceae (sedge)						
<i>Bulbostylis warei</i>	Ware's hairsedge	native			I	
<i>Cyperus haspan</i>	haspan flatsedge	native				
<i>Cyperus retrorsus</i>	pinebarren flatsedge	native			R	
<i>Cyperus surinamensis</i>	tropical flatsedge	native				
<i>Rhynchospora colorata</i>	starrush whitetop	native				
<i>Rhynchospora corniculata</i>	shortbristle horned beaksedge	native			I	
<i>Rhynchospora miliacea</i>	millet beaksedge	native			R	
<i>Rhynchospora odorata</i>	fragrant beaksedge	native			R	
Family: Dioscoraceae (yam)						
<i>Dioscorea bulbifera</i>	air-potato	exotic	I			
Family: Hypoxidaceae (yellow stargrass)						
<i>Hypoxis wrightii</i>	bristleseed yellow stargrass	native			I	
Family: Iridaceae (iris)						
<i>Iris hexagona</i>	prairie iris	native			I	
Family: Marantaceae (arrowroot)						
<i>Thalia geniculata</i>	alligatorflag	native				

Appendix B: Plant Sightings at Hickory Swamp Preserve

Scientific and common names from this list were obtained from Wunderlin, 2003.

Scientific Name	Common Name	Native Status	FLEPPC	FDACS	IRC	FNAI
Family: Orchidaceae (orchid)						
<i>Encyclia tampensis</i>	Florida butterfly orchid	native		CE		
<i>Habenaria floribunda</i>	toothpetal false reinorchid	native				
<i>Oeceoclades maculata</i>	monk orchid	exotic				
Family: Poaceae (grass)						
<i>Axonopus furcatus</i>	big carpetgrass	native				
<i>Cenchrus echinatus</i>	southern sandbur	native				
<i>Cenchrus spinifex</i>	coastal sandbur	native				
<i>Dactyloctenium aegyptium</i>	durban crowfootgrass	exotic				
<i>Eustachys petraea</i>	pinewoods fingergrass	native				
<i>Oplismenus hirtellus</i>	woodgrass	native				
<i>Panicum maximum</i>	Guinea grass	exotic	II			
<i>Panicum repens</i>	torpedograss	exotic	I			
<i>Panicum virgatum</i>	switchgrass	native				
<i>Paspalum notatum</i>	bahiagrass	exotic				
<i>Rhynchelytrum repens</i>	rose natalgrass	exotic	I			
<i>Schizachyrium scoparium</i>	little bluestem	native			R	
<i>Setaria parviflora</i>	knotroot foxtail	native				
<i>Sporobolus indicus</i>	smutgrass	exotic				
Family: Smilacaceae (smilax)						
<i>Smilax auriculata</i>	earleaf greenbrier	native				
<i>Smilax bona-nox</i>	saw greenbrier	native			R	
Family: Acanthaceae (acanthus)						
<i>Elytraria caroliniensis</i> var. <i>angustifolia</i>	Carolina scalystem	native			CI	G4T2/S2
<i>Ruellia caroliniensis</i>	Carolina wild petunia	native			I	
<i>Thunbergia fragrans</i>	whitelady	exotic				
Family: Adoxaceae (moschatel)						
<i>Viburnum obovatum</i>	Walter's viburnum	native			I	
<i>Sambucus nigra</i>	elderberry	native				
Family: Amaranthaceae (amaranth)						
<i>Achyranthes aspera</i>	devil's horsewhip	exotic				
<i>Gompherna serrata</i>	Arrasa con todo	exotic				
Family: Anacardiaceae (cashew)						
<i>Rhus copallinum</i>	winged sumac	native				
<i>Schinus terebinthifolius</i>	Brazilian pepper	exotic	I			
<i>Toxicodendron radicans</i>	eastern poison ivy	native				
Family: Annonaceae (custard-apple)						
<i>Asimina reticulata</i>	netted pawpaw	native				
Family: Apiaceae (carrot)						
<i>Eryngium prostratum</i>	creeping eryngo	native				
Family: Apocynaceae (dogbane)						
<i>Asclepias curassavica</i>	scarlet milkweed	exotic				
Family: Araliaceae (ginseng)						
<i>Centella asiatica</i>	spadeleaf	native				

Appendix B: Plant Sightings at Hickory Swamp Preserve

Scientific and common names from this list were obtained from Wunderlin, 2003.

Scientific Name	Common Name	Native Status	FLEPPC	FDACS	IRC	FNAI
Family: Asteraceae (aster)						
<i>Ageratum houstonianum</i>	bluemink	exotic				
<i>Ambrosia artemisiifolia</i>	common ragweed	native				
<i>Baccharis halimifolia</i>	groundsel tree	native				
<i>Bidens alba</i>	beggerticks	native				
<i>Carphephorus corymbosus</i>	Florida paintbrush	native			R	
<i>Conoclinium coelestinum</i>	blue mistflower	native				
<i>Conyza canadensis</i> var. <i>pusilla</i>	dwarf Canadian horseweed	native				
<i>Elephantopus elatus</i>	tall elephantsfoot	native			R	
<i>Emilia fosbergii</i>	Florida tasselflower	exotic				
<i>Emilia sonchifolia</i>	lilac tasselflower	exotic				
<i>Eupatorium capillifolium</i>	dogfennel	native				
<i>Eupatorium leptophyllum</i>	falsefennel	native			R	
<i>Erechtites hieraciifolius</i>	fireweed	native				
<i>Hieracium megacephalon</i>	coastalplain hawkweed	native				
<i>Mikania scandens</i>	climbing hempvine	native				
<i>Pterocaulon pycnostachyum</i>	blackroot	native				
<i>Solidago odora</i> var. <i>chapmanii</i>	Chapman's goldenrod	native				
<i>Sphagneticola trilobata</i>	creeping oxeye	exotic	II			
Family: Bignoniaceae (trumpet creeper)						
<i>Campsis radicans</i>	trumpet creeper	native	I			
Family: Brassicaceae (mustard)						
<i>Cardamine pensylvanica</i>	Pennsylvania bittercress	native			R	
<i>Lepidium virginicum</i>	Virginia pepperweed	native				
Family: Cactaceae (cactus)						
<i>Opuntia humifusa</i>	pricklypear	native				
Family: Campanulaceae (bellflower)						
<i>Campanula floridana</i>	Florida bellflower	native			I	
<i>Lobelia feayana</i>	bay lobelia	native			I	
Family: Caryophyllaceae (pink)						
<i>Drymaria cordata</i>	drymary	native				
Family: Celtidaceae (hackberry)						
<i>Celtis laevigata</i>	hackberry	native				
Family: Cistaceae (rockrose)						
<i>Helianthemum corymbosum</i>	pinebarren frostweed	native			R	
Family: Clusiaceae (mangosteen)						
<i>Hypericum gentianoides</i>	pineweeds	native			I	
<i>Hypericum hypericoides</i>	St. Andrew's-cross	native				
<i>Hypericum tetrapetalum</i>	fourpetal St. John's-wort	native				
Family: Convolvulaceae (morning-glory)						
<i>Dichondra carolinensis</i>	Carolina ponysfoot	native				
<i>Ipomoea imperati</i>	beach morning-glory	native				
<i>Ipomoea pandurata</i>	man-of-the-earth	native				
<i>Ipomoea sagittata</i>	saltmarsh morning-glory	native				
Family: Crassulaceae (orpine)						
<i>Kalanchoe pinnata</i>	life plant	exotic	II			
Family: Cucurbitaceae (gourd)						
<i>Melothria pendula</i>	creeping cucumber	native				
<i>Momordica charantia</i>	balsampear	exotic				
Family: Euphorbiaceae (spurge)						
<i>Bischofia javanica</i>	bishopwood	exotic	I			

Appendix B: Plant Sightings at Hickory Swamp Preserve

Scientific and common names from this list were obtained from Wunderlin, 2003.

Scientific Name	Common Name	Native Status	FLEPPC	FDACS	IRC	FNAI
Family: Fabaceae (pea)						
<i>Abrus precatorius</i>	rosary pea	exotic	I			
<i>Chamaecrista fasciculata</i>	partridge pea	native				
<i>Chamaecrista nictitans var. aspera</i>	sensitive pea	native				
<i>Crotalaria pallida</i>	smooth rattlebox	exotic				
<i>Crotalaria rotundifolia</i>	rabbitbells	native				
<i>Desmodium incanum</i>	zarzabaacoa comun	exotic				
<i>Erythrina herbacea</i>	coralbean	native				
<i>Galactia elliotii</i>	Elliott's milkpea	native			R	
<i>Indigofera hirsuta</i>	hairy indigo	exotic				
<i>Senna ligustrina</i>	privet wild sensitive plant	native			I	
<i>Senna occidentalis</i>	septicweed	exotic				
<i>Senna pendula</i>	climbing cassia	exotic	I			
<i>Sesbania herbacea</i>	danglepod	native				
Family: Fagaceae (beech)						
<i>Quercus laurifolia</i>	laurel oak	native				
<i>Quercus virginiana</i>	Virginia live oak	native				
Family: Juglandaceae (walnut)						
<i>Carya aquatica</i>	water hickory	native			I	
Family: Lamiaceae (mint)						
<i>Callicarpa americana</i>	American beautyberry	native				
<i>Hyptis alata</i>	musky mint	native				
<i>Leonotis nepetifolia</i>	lion's-ear	exotic				
Family: Lauraceae (laurel)						
<i>Persea palustris</i>	swamp bay	native				
Family: Loganiaceae (logania)						
<i>Mitreola petiolata</i>	lax hornpod	native				
Family: Lythraceae (loosestrife)						
<i>Lythrum alatum</i>	winged loosestrife	native			R	
Family: Magnoliaceae (magnolia)						
<i>Magnolia grandiflora</i>	southern magnolia	native				
Family: Malvaceae (mallow)						
<i>Melochia corchorifolia</i>	chocolateweed	exotic				
<i>Melochia spicata</i>	bretonica peluda	native			I	
<i>Sida abutilifolia</i>	spreading fanpetals	native				
<i>Sida acuta</i>	common wireweed	native				
<i>Sida rhombifolia</i>	Cuban jute	native				
<i>Urena lobata</i>	caesarweed	exotic	II			
Family: Meliaceae (mahogany)						
<i>Melia azedarach</i>	Chinaberrytree	exotic	II			
Family: Moraceae (mulberry)						
<i>Morus rubra</i>	red mulberry	native				
Family: Myricaceae (bayberry)						
<i>Myrica cerifera</i>	wax myrtle	native				
Family: Myrsinaceae (myrsine)						
<i>Ardisia escallonioides</i>	marlberry	native				
<i>Rapanea punctata</i>	myrsine	native				
Family: Myrtaceae (myrtle)						
<i>Eugenia uniflora</i>	Surinam cherry	exotic	I			
<i>Syzygium cumini</i>	Java plum	exotic	I			

Appendix B: Plant Sightings at Hickory Swamp Preserve

Scientific and common names from this list were obtained from Wunderlin, 2003.

Scientific Name	Common Name	Native Status	FLEPPC	FDACS	IRC	FNAI
Family: Oleaceae (olive)						
<i>Forestiera segregata</i>	Florida swampprivet	native				
<i>Fraxinus caroliniana</i>	pop ash	native			R	
Family: Onagraceae (eveningprimrose)						
<i>Ludwigia maritima</i>	seaside primrosewillow	native			R	
<i>Ludwigia peruviana</i>	Peruvian primrosewillow	exotic				
Family: Oxalidaceae (woodsorrel)						
<i>Oxalis corniculata</i>	common yellow woodsorrel	native				
Family: Phytolaccaceae (pokeweed)						
<i>Phytolacca americana</i>	American pokeweed	native				
Family: Polygalaceae (milkwort)						
<i>Polygala grandiflora</i>	showy milkwort	native				
Family: Polygonaceae (buckwheat)						
<i>Polygonella polygama</i>	October flower	native			I	
<i>Polygonum hydropiperoides</i>	swamp smartweed	native			R	
Family: Portulacaceae (purslane)						
<i>Portulaca amilis</i>	Paraguayan purslane	exotic				
<i>Portulaca pilosa</i>	pink purslane	native				
Family: Ranunculaceae (buttercup)						
<i>Clematis reticulata</i>	netleaf leather-flower	native				
Family: Rosaceae (rose)						
<i>Rubus argutus</i>	sawtooth blackberry	native				
Family: Rubiaceae (madder)						
<i>Cephalanthus occidentalis</i>	common buttonbush	native				
<i>Diodia virginiana</i>	Virginia buttonweed	native			R	
<i>Hamelia patens</i>	firebush	native				
<i>Psychotria nervosa</i>	wild coffee	native				
<i>Psychotria sulzneri</i>	shortleaf wild coffee	native				
<i>Richardia brasiliensis</i>	tropical Mexican clover	exotic				
<i>Spermacoce assurgens</i>	woodland false buttonweed	native				
<i>Spermacoce prostrata</i>	prostrate false buttonweed	native			R	
Family: Rutaceae (citrus)						
<i>Citrus spp.</i>	citrus	exotic				
Family: Salicaceae (willow)						
<i>Salix caroliniana</i>	coastalplain willow	native				
Family: Sapindaceae (soapberry)						
<i>Acer rubrum</i>	red maple	native				
<i>Cupaniopsis anacardioides</i>	carrotwood	exotic	I			
Family: Sapotaceae (sapodilla)						
<i>reclinatum</i>	Florida bully	native			R	
Family: Solanaceae (nightshade)						
<i>Solanum americanum</i>	American black nightshade	native				
<i>Solanum diphyllum</i>	twoleaf nightshade	exotic	II			
<i>Solanum torvum</i>	turkeyberry	exotic	II			
<i>Solanum viarum</i>	tropical soda apple	exotic	I			
Family: Tetrachondraceae (tetrachondra)						
<i>Polypremum procumbens</i>	rustweed	native				
Family: Urticaceae (nettle)						
<i>Boehmeria cylindrica</i>	false nettle	native				
Family: Verbenaceae (vervain)						
<i>Phyla nodiflora</i>	turkey tangle fogfruit	native				

Appendix B: Plant Sightings at Hickory Swamp Preserve

Scientific and common names from this list were obtained from Wunderlin, 2003.

Scientific Name	Common Name	Native Status	FLEPPC	FDACS	IRC	FNAI
Family: Veronicaceae (speedwell)						
<i>Bacopa caroliniana</i>	lemon bacopa	native				
<i>Bacopa monnieri</i>	herb-of-grace	native				
<i>Gratiola hispida</i>	rough hedgehyssop	native			I	
<i>Lindernia grandiflora</i>	Savannah false pimpernel	native			I	
<i>Scoparia dulcis</i>	licoriceweed	native				
Family: Vitaceae (grape)						
<i>Ampelopsis cordata</i>	heartleaf peppervine	native				
<i>Parthenocissus quinquefolia</i>	Virginia creeper	native				
<i>Vitis cinerea</i> var. <i>floridana</i>	Florida grape	native				
<i>Vitis rotundifolia</i>	muscadine	native				

Key

Florida EPPC Status

I = species that are invading and disrupting native plant communities

II = species that have shown a potential t

FDACS (Florida Department of Agriculture and Consumer Services)

E = Endangered

T = Threatened

CE = Commercially Exploited

IRC (Institute for Regional Conservation)

CI = Critically Imperiled

I = Imperiled

R = Rare

FNAI (Florida Natural Areas Inventory)

G= Global Status

T= Threatened

CE= Commercially Exploited

1= Critically imperiled because of extreme rarity (5 or fewer occurrences or less than 1000 individuals) or because of extreme vulnerability to extinction due to some natural or man-made factor.

2= Imperiled because of rarity (6 to 20 occurrences or less than 3000 individuals) or because of vulnerability to extinction due to some natural or man-made factor.

3= Either very rare and local throughout its range (21-200 occurrences or less than 10,000 individuals) or found locally in a restricted range or vulnerable to extinction from other factors.

4= Apparently secure

5= Demonstrably secure