

## Appendix B: Plant Species List for Pop Ash Creek Preserve

Common and scientific names for this list were obtained from Wunderlin Hansen, 2003

Scientific Name	Common Name	Native/Exotic	EPPC	FDACS	IRC	FNAI
<b>Family: Blechnaceae (min-sorus fern)</b>						
<i>Blechnum serrulatum</i>	swamp fern	native				
<b>Family: Nephrolepidaceae (sword fern)</b>						
<i>Nephrolepis exaltata</i>	wild Boston fern	native				
<i>Osmunda regalis</i>	royal fern	native				
<b>Family: Polypodiaceae (polypod)</b>						
<i>Phlebodium aureum</i>	golden polypody	native				
<b>Family: Pteridaceae (brake fern)</b>						
<i>Pteris vittata</i>	Chinese ladder brake fern	exotic	II			
<b>Family: Schizaeaceae (curly-grass)</b>						
<i>Lygodium microphyllum</i>	Old World climbing fern	exotic	I			
<b>Family: Pinaceae (pine)</b>						
<i>Pinus elliotii</i> var. <i>densa</i>	south Florida slash pine	native				
<b>Family: Agavaceae (agave)</b>						
<i>Yucca aloifolia</i>	Spanish bayonet	native				
<b>Family: Alismataceae (water plantain)</b>						
<i>Sagittaria graminea</i>	grassy arrowhead	native			R	
<i>Sagittaria lancifolia</i>	bulltongue arrowhead	native				
<b>Family: Amaryllidaceae (amaryllis)</b>						
<i>Crinum americanum</i>	string-lily	native				
<i>Hymenocallis palmeri</i>	alligatorlily	native				
<b>Family: Arecaceae (palm)</b>						
<i>Sabal palmetto</i>	cabbage palm	native				
<i>Serenoa repens</i>	saw palmetto	native				
<b>Family: Bromeliaceae (pineapple)</b>						
<i>Tillandsia paucifolia</i>	potbelly airplant	native				
<i>Tillandsia recurvata</i>	ballmoss	native				
<i>Tillandsia usneoides</i>	Spanish moss	native				
<i>Tillandsia utriculata</i>	giant airplant	native		E		
<b>Family: Cyperaceae (sedge)</b>						
<i>Cladium jamaicense</i>	Jamaica swamp sawgrass	native				
<i>Cyperus polystachyos</i>	manyspike flatsedge	native				
<i>Cyperus prolifer</i>	flatsedge	exotic	II			
<i>Eleocharis interstincta</i>	knotted spikerush	native				
<i>Fimbristylis</i> sp.	fimbry	depends on species				
<i>Rhynchospora colorata</i>	starrush whitetop	native				
<i>Rhynchospora fascicularis</i>	fascicled beakrush	native			R	
<i>Rhynchospora latifolia</i>	giant whitetop	native			R	
<i>Rhynchospora microcarpa</i>	southern beakrush	native			R	
<i>Rhynchospora tracyi</i>	Tracy's beaksedge	native			R	
<i>Scleria</i> sp.	nutrush	native				
<b>Family: Eriocaulaceae (pipewort)</b>						
<i>Eriocaulon compressum</i>	flattened pipewort	native			R	
<i>Eriocaulon decangulare</i>	tenangle pipewort	native			R	
<i>Lachnocaulon anceps</i>	whitehead bogbutton	native			R	
<b>Family: Haemodoraceae (bloodwort)</b>						
<i>Lachnanthes carolina</i>	Carolina redroot	native				
<b>Family: Hypoxidaceae (yellow stargrass)</b>						
<i>Hypoxis juncea</i>	fringed yellow stargrass	native				
<b>Family: Juncaceae (rush)</b>						
<i>Juncus megacephalus</i>	bighead rush	native			R	

## Appendix B: Plant Species List for Pop Ash Creek Preserve

Common and scientific names for this list were obtained from Wunderlin Hansen, 2003

Scientific Name	Common Name	Native/Exotic	EPPC	FDACS	IRC	FNAI
<b>Family: Liliaceae (lily)</b>						
<i>Lilium catesbaei</i>	Catesby's lily	native		T	I	
<b>Family: Marantaceae (arrowroot)</b>						
<i>Thalia geniculata</i>	alligatorflag	native				
<b>Family: Nartheciaceae (bog asphodel)</b>						
<i>Aletris lutea</i>	yellow colicroot	native			R	
<b>Family: Orchidaceae (orchid)</b>						
<i>Eulophia alta</i>	wild coco	native				
<i>Habenaria floribunda</i>	toothpedal false reinorchid	native				
<i>Habenaria quinqueseta</i>	longhorn false reinorchid	native				
<b>Family: Poaceae (grass)</b>						
<i>Amphicarpum muhlenbergianum</i>	blue maidencane	native				
<i>Andropogon gyrans</i>	Elliott's bluestem	native			I	
<i>Andropogon virginicus</i>	broomsedge bluestem	native			I	
<i>Andropogon virginicus</i> var. <i>glaucus</i>	chalky bluestem	native			R	
<i>Aristida spiciformis</i>	bottlebrush threeawn	native			R	
<i>Dichantherium erectifolium</i>	erectleaf witchgrass	native			R	
<i>Eustachys petraea</i>	pinewoods fingergrass	native				
<i>Imperata cylindrica</i>	cogon grass	exotic	I			
<i>Panicum hemitomon</i>	maidencane	native				
<i>Panicum maximum</i>	Guinea grass	exotic	II			
<i>Panicum repens</i>	torpedo grass	exotic	I			
<i>Paspalum laeve</i>	field paspalum	native				
<i>Paspalum praecox</i>	early paspalum	native				
<i>Rhynchelytrum repens</i>	rose natalgrass	exotic	I			
<i>Setaria parviflora</i>	knotroot foxtail	native				
<b>Family: Pontederiaceae (pickerelweed)</b>						
<i>Pontederia cordata</i>	pickerelweed	native				
<b>Family: Rusceae (butcher's broom)</b>						
<i>Sansevieria hyacinthoides</i>	bowstring hemp	exotic	II			
<b>Family: Smilacaceae (smilax)</b>						
<i>Smilax auriculata</i>	earleaf greenbrier	native				
<b>Family: Typhaceae (cattail)</b>						
<i>Typha latifolia</i>	broadleaf cattail	native			R	
<b>Family: Xyridaceae (yelloweyed grass)</b>						
<i>Xyris</i> sp.	yelloweyed grass	depends on species				
<b>Family: Acanthaceae (acanthus)</b>						
<i>Stenandrium dulce</i>	sweet shaggytuft	native			R	
<b>Family: Amaranthaceae (amaranth)</b>						
<i>Alternanthera philoxeroides</i>	alligatorweed	exotic	II			
<b>Family: Anacardiaceae (cashew)</b>						
<i>Rhus copallinum</i>	winged sumac	native				
<i>Schinus terebinthifolius</i>	Brazilian pepper	exotic	I			
<b>Family: Annonaceae (custard-apple)</b>						
<i>Asimina reticulata</i>	netted pawpaw	native				
<b>Family: Apiaceae (carrot)</b>						
<i>Eryngium yuccifolium</i>	button rattlesnakemaster	native			R	
<i>Oxypolis filiformis</i> subsp. <i>filiformis</i>	water cowbane	native				
<b>Family: Apocynaceae (dogbane)</b>						
<i>Catharanthus roseus</i>	Madagascar periwinkle	exotic				
<b>Family: Aquifoliaceae (holly)</b>						
<i>Ilex glabra</i>	gallberry	native				

## Appendix B: Plant Species List for Pop Ash Creek Preserve

Common and scientific names for this list were obtained from Wunderlin Hansen, 2003

Scientific Name	Common Name	Native/Exotic	EPPC	FDACS	IRC	FNAI
<b>Family: Araliaceae (ginseng)</b>						
<i>Hydrocotyle verticillata</i>	whorled marshpennywort	native			R	
<b>Family: Asteraceae (aster)</b>						
<i>Ambrosia artemisiifolia</i>	common ragweed	native				
<i>Baccharis halimifolia</i>	groundsel tree	native				
<i>Bidens alba</i>	beggerticks	native				
<i>Chaptalia tomentosa</i>	pineland daisy	native				
<i>Cirsium horridulum</i>	purple thistle	native				
<i>Cirsium nuttallii</i>	Nuttall's thistle	native			I	
<i>Conyza canadensis</i>	Canadian horseweed	native				
<i>Coreopsis leavenworthii</i>	Leavenworth's tickseed	native				
<i>Elephantopus elatus</i>	tall elephantsfoot	native			R	
<i>Emilia fosbergii</i>	Florida tasselflower	exotic				
<i>Erigeron quercifolius</i>	oakleaf fleabane	native				
<i>Eupatorium capillifolium</i>	dogfennel	native				
<i>Eupatorium leptophyllum</i>	falsefennel	native			R	
<i>Eupatorium mikanioides</i>	semaphore thoroughwort	native			R	
<i>Euthamia caroliniana</i>	slender flattop goldenrod	native				
<i>Flaveria floridana</i>	Florida yellowtops	native			I	
<i>Helenium pinnatifidum</i>	southern sneezeweed	native			R	
<i>Iva microcephala</i>	piedmont marshelder	native				
<i>Liatris sp.</i>	gayfeather	native				
<i>Mikania scandens</i>	climbing hempvine	native				
<i>Pityopsis ssp.</i>	silkgrass	native				
<i>Pluchea odorata</i>	sweetscent	native				
<i>Pluchea rosea</i>	rosy camphorweed	native				
<i>Solidago fistulosa</i>	pinebarren goldenrod	native			R	
<i>Solidago stricta</i>	wand goldenrod	native				
<i>Sphagneticola trilobata</i>	creeping oxeye	exotic	II			
<i>Vernonia angustifolia</i>	tall ironweed	native				
<i>Vernonia blodgettii</i>	Florida ironweed	native			R	
<b>Family: Bignoniaceae (trumpet creeper)</b>						
<i>Campsis radicans</i>	trumpet creeper	native				
<b>Family: Boraginaceae (borage)</b>						
<i>Heliotropium polyphyllum</i>	pineland helliotrope	native				
<b>Family: Casuarinaceae (sheoak)</b>						
<i>Casuarina equisetifolia</i>	Australian pine	exotic	I			
<b>Family: Chrysobalanaceae (coco plum)</b>						
<i>Licania michauxii</i>	gopher apple	native				
<b>Family: Clusiaceae (mangosteen)</b>						
<i>Hypericum brachyphyllum</i>	coastalplain St. John's-wort	native			R	
<i>Hypericum cistifolium</i>	roundpod St. John's-wort	native				
<i>Hypericum reductum</i>	Atlantic St. John's-wort	native				
<i>Hypericum tetrapetalum</i>	fourpedal St. John's-wort	native				
<b>Family: Combretaceae (combretum)</b>						
<i>Terminalia catappa</i>	West Indian almond	exotic	II			
<b>Family: Droseraceae (sundew)</b>						
<i>Drosera ssp.</i>	sundew	native				
<b>Family: Ebenaceae (ebony)</b>						
<i>Diospyros virginiana</i>	common persimmon	native			R	

## Appendix B: Plant Species List for Pop Ash Creek Preserve

Common and scientific names for this list were obtained from Wunderlin Hansen, 2003

Scientific Name	Common Name	Native/Exotic	EPPC	FDACS	IRC	FNAI
<b>Family: Ericaceae (heath)</b>						
<i>Lyonia lucida</i>	fetterbush	native				
<i>Vaccinium myrsinites</i>	shiny blueberry	native				
<b>Family: Euphorbiaceae (spurge)</b>						
<i>Stillingia aquatica</i>	corkwood	native			R	
<b>Family: Fabaceae (pea)</b>						
<i>Acacia auriculiformis</i>	earleaf acacia	exotic	I			
<i>Aeschynomene americana</i>	shyleaf	native			R	
<i>Albizia lebeck</i>	woman's tongue	exotic	I			
<i>Chamaecrista fasciculata</i>	partridge pea	native				
<b>Family: Fagaceae (beech)</b>						
<i>Quercus laurifolia</i>	laurel oak	native				
<i>Quercus virginiana</i>	live oak	native				
<b>Family: Gentianaceae (gentian)</b>						
<i>Sabatia grandiflora</i>	largeflower rosegentian	native			R	
<i>Sabatia stellaris</i>	rose-of-plymouth	native				
<b>Family: Haloragaceae (watermilfoil)</b>						
<i>Proserpinaca palustris</i>	marsh mermaidweed	native			R	
<i>Proserpinaca pectinata</i>	combleaf mermaidweed	native			R	
<b>Family: Lamiaceae (mint)</b>						
<i>Hyptis alata</i>	musky mint	native				
<i>Physostegia purpurea</i>	eastern false dragonhead	native			I	
<i>Piloblephis rigida</i>	wild pennyroyal	native			R	
<b>Family: Lauraceae (laurel)</b>						
<i>Cassytha filiformis</i>	love vine	native				
<b>Family: Lentibulariaceae (bladderwort)</b>						
<i>Utricularia cornuta</i>	horned bladderwort	native			R	
<i>Utricularia foliosa</i>	leafy bladderwort	native			R	
<b>Family: Linaceae (flax)</b>						
<i>Linum sp.</i>	flax	depends on species				
<b>Family: Loganaceae (logania)</b>						
<i>Mitreola petiolata</i>	lax hornpod	native				
<i>Mitreola sessilifolia</i>	swamp hornpod	native			R	
<b>Family: Lythraceae (loosestrife)</b>						
<i>Lythrum alatum</i>	winged loosestrife	native				
<b>Family: Malvaceae (mallow)</b>						
<i>Melochia corchorifolia</i>	chocolateweed	exotic				
<i>Urena lobata</i>	Caesar's weed	exotic	II			
<b>Family: Melastomataceae (melastome)</b>						
<i>Rhexia cubensis</i>	West Indian meadowbeauty	native			I	
<i>Rhexia nuttallii</i>	Nuttall's meadowbeauty	native			I	
<b>Family: Myricaceae (bayberry)</b>						
<i>Myrica cerifera</i>	wax myrtle	native				
<b>Family: Myrsinaceae (myrsine)</b>						
<i>Rapanea punctata</i>	myrsine	native				
<b>Family: Myrtaceae (myrtle)</b>						
<i>Eugenia uniflora</i>	Surinam cherry	exotic	I			
<i>Eucalyptus torelliana</i>	Torrell's eucalyptus	exotic				
<i>Melaleuca quinquenervia</i>	punktree	exotic	I			
<i>Syzygium cumini</i>	Java plum	exotic	I			
<b>Family: Nymphaeaceae (waterlily)</b>						
<i>Nuphar advena</i>	spatterdock	native				

## Appendix B: Plant Species List for Pop Ash Creek Preserve

Common and scientific names for this list were obtained from Wunderlin Hansen, 2003

Scientific Name	Common Name	Native/Exotic	EPPC	FDACS	IRC	FNAI
<b>Family: Oleaceae (olive)</b>						
<i>Fraxinus caroliniana</i>	pop ash	native			R	
<b>Family: Onagraceae (eveningprimrose)</b>						
<i>Gaura angustifolia</i>	southern beeblossom	native				
<i>Ludwigia maritima</i>	seaside primrosewillow	native			R	
<i>Ludwigia microcarpa</i>	smallfruit primrosewillow	native			R	
<i>Ludwigia octovalvis</i>	Mexican primrosewillow	native				
<i>Ludwigia peruviana</i>	Peruvian primrosewillow	exotic				
<i>Ludwigia repens</i>	creeping primrosewillow	native				
<b>Family: Orobanchaceae (broomrape)</b>						
<i>Buchnera americana</i>	American bluehearts	native				
<b>Family: Passifloraceae (passionflower)</b>						
<i>Passiflora suberosa</i>	corksystem passionflower	native				
<b>Family: Polygalaceae (milkwort)</b>						
<i>Polygala grandiflora</i>	showy milkwort	native				
<b>Family: Polygonaceae (buckwheat)</b>						
<i>Polygonum hydropiperoides</i>	swamp smartweed	native			R	
<i>Rumex verticillatus</i>	swamp dock	native			I	
<b>Family: Rubiaceae (madder)</b>						
<i>Diodia virginiana</i>	Virginia buttonweed	native			R	
<i>Ixora coccinea</i>	scarlet jungleflame	exotic				
<i>Richardia brasiliensis</i>	tropical Mexican clover	exotic				
<b>Family: Salicaceae (willow)</b>						
<i>Salix caroliniana</i>	Carolina willow	native				
<b>Family: Sapindaceae (soapberry)</b>						
<i>Cupaniopsis anacardioides</i>	carrotwood	exotic	I			
<b>Family: Simaroubaceae (quassia)</b>						
<i>Leitneria floridana</i>	corkwood	native				
<b>Family: Urticaceae (nettle)</b>						
<i>Boehmeria cylindrica</i>	false nettle	native				
<b>Family: Verbenaceae (vervain)</b>						
<i>Callicarpa americana</i>	American beautyberry	native				
<i>Phyla nodiflora</i>	capeweed	native				
<b>Family: Veronicaceae (speedwell)</b>						
<i>Scoparia dulcis</i>	sweetbroom	native				
<b>Family: Violaceae (violet)</b>						
<i>Viola lanceolata</i>	bog white violet	native			I	
<i>Viola palmata</i>	early blue violet	native			CI	
<b>Family: Vitaceae (grape)</b>						
<i>Parthenocissus quinquefolia</i>	Virginia creeper	native				
<i>Vitis aestivalis</i>	summer grape	native			I	
<i>Vitis rotundifolia</i>	muscadine	native				

**Key**

**Florida EPPC Status**

I = species that are invading and disrupting native plant communities

II = species that have shown a potential to disrupt native plant communities

**FDACS (Florida Department of Agriculture and Consumer Services)**

E = Endangered

T = Threatened

CE = Commercially Exploited

**IRC (Institute for Regional Conservation)**

CI = Critically Imperiled

I = Imperiled

R = Rare

**FNAI (Florida Natural Areas Inventory)**

G= Global Status

T= Threatened

CE= Commercially Exploited

1= Critically imperiled because of extreme rarity (5 or fewer occurrences or less than 1000 individuals) or because of extreme vulnerability to extinction due to some natural or man-made factor.

2= Imperiled because of rarity (6 to 20 occurrences or less than 3000 individuals) or because of vulnerability to extinction due to some natural or man-made factor.

3= Either very rare and local throughout its range (21-200 occurrences or less than 10,000 individuals) or found locally in a restricted range or vulnerable to extinction from other factors.

4= Apparently secure

5= Demonstrably secure