

## Plant Species List for Telegraph Creek Preserve

Scientific Name	Common Name	Status	EPPC	FDA	IRC	FNAI
<b>Family: Cladoniaceae (deer lichens)</b>						
<i>Cladina sp.</i>	deer lichen	native				
<b>Family: Blechnaceae (mid-sorus fern)</b>						
<i>Blechnum serrulatum</i>	swamp fern	native				
<b>Family: Dennstaedtiaceae (cuplet fern)</b>						
<i>Pteridium aquilinum</i>	braken fern	native				
<b>Family: Polypodiaceae (polypody)</b>						
<i>Phlebodium aureum</i>	golden polypody	native				
<b>Family: Pteridaceae (brake fern)</b>						
<i>Acrostichum danaeifolium</i>	giant leather fern	native				
<b>Family: Schizaeaceae (curly-grass)</b>						
<i>Lygodium microphyllum</i>	small-leaf climbing fern	exotic	I			
<b>Family: Thelypteridaceae (marsh fern)</b>						
<i>Thelypteris kunthii</i>	widespread maiden fern	native				
<b>Family: Cupressaceae (cedar)</b>						
<i>Taxodium distichum</i>	bald cypress	native				
<b>Family: Pinaceae (pine)</b>						
<i>Pinus elliotii var. densa</i>	south Florida slash pine	native				
<b>Family: Alismataceae (water plantain)</b>						
<i>Sagittaria graminea</i>	grassy arrowhead	native				
<i>Sagittaria lancifolia</i>	bulltongue arrowhead	native				
<b>Family: Amaryllidaceae (amaryllis)</b>						
<i>Crinum americanum</i>	string-lily	native				
<b>Family: Arecaceae (palm)</b>						
<i>Sabal palmetto</i>	cabbage palm	native				
<i>Serenoa repens</i>	saw palmetto	native				
<b>Family: Bromeliaceae (pineapple)</b>						
<i>Tillandsia fasciculata var. densispica</i>	cardinal airplant	native		E		
<i>Tillandsia recurvata</i>	ball-moss	native				
<i>Tillandsia usneoides</i>	Spanish-moss	native				
<i>Tillandsia utriculata</i>	giant airplant	native		E		
<b>Family: Cyperaceae (sedge)</b>						
<i>Cladium jamaicense</i>	Jamaica swamp sawgrass	native				
<i>Cyperus ligularis</i>	swamp flatsedge	native				
<i>Fimbristylis cymosa</i>	hurricanegrass	native				
<i>Fuirena scirpoidea</i>	southern umbrellasedge	native			R	
<i>Rhynchospora inundata</i>	Narrowfruit horned beaksedge	native			R	
<i>Rhynchospora nitens</i>	shortbeak beaksedge	native			R	
<i>Schoenoplectus sp.</i>	bulrush	native				
<b>Family: Haemodoraceae (blootwort)</b>						
<i>Lachnanthes carolina</i>	Carolina redroot	native				
<b>Family: Juncaceae (rush)</b>						
<i>Juncus roemerianus</i>	needlerush	native			R	
<b>Family: Marantaceae (arrowroot)</b>						
<i>Thalia geniculata</i>	alligatorflag	native				

## Plant Species List for Telegraph Creek Preserve

Scientific Name	Common Name	Status	EPPC	FDA	IRC	FNAI
<b>Family: Poaceae (grass)</b>						
<i>Amphicarpum muhlenbergianum</i>	blue maidencane	native			R	
<i>Andropogon glomeratus var. glaucopsis</i>	purple bluestem	native			R	
<i>Andropogon glomeratus var. pumilus</i>	common bushy bluestem	native				
<i>Andropogon virginicus</i>	broomsedge bluestem	native			I	
<i>Aristida purpurascens</i>	arrowfeather threeawn	native				
<i>Aristida spiciformis</i>	bottlebrush threeawn	native			R	
<i>Aristida stricta var. beyrichiana</i>	wiregrass	native				
<i>Imperata cylindrica</i>	cogongrass	exotic	I			
<i>Muhlenbergia capillaris</i>	hairawnmuhly	native				
<i>Panicum hemitomon</i>	maidencane	native				
<i>Panicum repens</i>	torpedograss	exotic	I			
<i>Paspalum monostachyum</i>	gulfdune paspalum	native			R	
<i>Paspalum notatum</i>	bahia grass	exotic				
<i>Setaria parviflora</i>	knotroot foxtail	native				
<i>Sorghastrum secundum</i>	lopsided indiagrass	native				
<i>Spartina bakeri</i>	sand cordgrass	native				
<i>Tripsacum dactyloides</i>	Fakahatcheegrass	native			R	
<b>Family : Pontederiaceae (pickerelweed)</b>						
<i>Pontederia cordata</i>	pickerelweed	native				
<b>Family: Smilacaceae (smilax)</b>						
<i>Smilax auriculata</i>	earleaf greenbriar	native				
<i>Smilax bona-nox</i>	saw greenbriar	native			R	
<i>Smilax laurifolia</i>	laurel greenbriar	native				
<b>Family: Typhaceae (cattail)</b>						
<i>Typha latifolia</i>	broadleaf cattail	native				
<b>Family: Acanthaceae (acanthus)</b>						
<i>Elytraria caroliniensis var. caroliniensis</i>	Carolina scalystem	native			CI	
<i>Justicia angusta</i>	pineland waterwillow	native			R	
<b>Family: Adoxaceae (moschatel)</b>						
<i>Viburnum obovatum</i>	Walter's viburnum	native				
<b>Family: Anacardiaceae (cashew)</b>						
<i>Rhus copallinum</i>	winged sumac	native				
<i>Schinus terebinthifolius</i>	Brazilian pepper	exotic	I			
<i>Toxicodendron radicans</i>	eastern poison ivy	native				
<b>Family: Annonaceae (custard-apple)</b>						
<i>Annona glabra</i>	pondapple	native				
<i>Asimina reticulata</i>	netted pawpaw	native				
<b>Family: Apiaceae (carrot)</b>						
<i>Ptilimnium capillaceum</i>	mock bishopsweed	native				
<b>Family: Aquifoliaceae (holly)</b>						
<i>Ilex cassine</i>	dahoon	native				
<i>Ilex glabra</i>	gallberry	native				
<b>Family: Araliaceae (ginseng)</b>						
<i>Centella asiatica</i>	spadeleaf					
<i>Hydrocotyle umbellata</i>	manyflower marshpennywort	native			R	

## Plant Species List for Telegraph Creek Preserve

Scientific Name	Common Name	Status	EPPC	FDA	IRC	FNAI
<b>Family: Asteraceae (aster)</b>						
<i>Carphephorus corymbosus</i>	Florida paintbrush	native			R	
<i>Chaptalia tomentosa</i>	pineland daisy	native			R	
<i>Coreopsis leavenworthii</i>	Leavonworth's tickseed	native				
<i>Elephantopus elatus</i>	tall elephantsfoot	native			R	
<i>Eupatorium capillifolium</i>	dogfennel	native				
<i>Flaveria linearis</i>	narrowleaf yellowtops	native				
<i>Gamochaeta americana</i>	American everlasting	native				
<i>Pityopsis graminifolia</i>	narrowleaf silkgrass	native				
<i>Pluchea odorata</i>	sweetscent	native				
<i>Pterocaulon pycnostachyum</i>	blackroot	native				
<b>Family: Bignoniaceae (trumpet creeper)</b>						
<i>Campsis radicans</i>	trumpet creeper	native			CI	
<b>Family: Casuarinaceae (sheoak)</b>						
<i>Casuarina equisetifolia</i>	Australian-pine	exotic	I			
<b>Family: Clusiaceae (mangosteen)</b>						
<i>Hypericum fasciculatum</i>	peelbark St. John's-wort	native			R	
<i>Hypericum mutilum</i>	dwarf St. John's-wort	native			I	
<i>Hypericum myrtifolium</i>	myrtleleaf St. John's-wort	native			CI	
<i>Hypericum reductum</i>	Atlantic St. John's-wort	native			R	
<i>Hypericum tetrapetalum</i>	fourpetal St. John's-wort	native				
<b>Family Ebenaceae (ebony)</b>						
<i>Diospyros virginiana</i>	common persimmon	native			R	
<b>Family: Ericaceae (heath)</b>						
<i>Bejaria racemosa</i>	tarflower	native			R	
<i>Ceratiola ericoides</i>	Florida rosemary	native			R	
<i>Lyonia fruticosa</i>	coastalplain staggerbush	native				
<i>Vaccinium arboreum</i>	sparkleberry	native			CI	
<i>Vaccinium myrsinites</i>	shiny blueberry	native				
<b>Family: Fabaceae (pea)</b>						
<i>Chamaecrista fasciculata</i>	partridge pea	native				
<i>Erythrina herbacea</i>	coralbean	native				
<i>Galactia elliottii</i>	Elliott's milkpea	native			R	
<b>Family: Fagaceae (beech)</b>						
<i>Quercus chapmanii</i>	Chapman's oak	native				
<i>Quercus elliottii</i>	running oak	native				
<i>Quercus geminata</i>	sand live oak	native				
<i>Quercus laurifolia</i>	laurel oak	native				
<i>Quercus minima</i>	dwarf live oak	native			R	
<i>Quercus myrtifolia</i>	myrtle oak	native				
<i>Quercus virginiana</i>	Virginia live oak	native				
<b>Family: Gentianaceae (gentian)</b>						
<i>Sabatia brevifolia</i>	shortleaf rosegentian	native			I	
<b>Family: Haloragaceae (watermilfoil)</b>						
<i>Proserpinaca pectinata</i>	combleaf mermaidweed	native			R	
<b>Family: Lamiaceae (mint)</b>						
<i>Hyptis alata</i>	musky mint	native				
<i>Piloblephis rigida</i>	wild pennyroyal	native			R	
<i>Trichostema dichotomum</i>	forked bluecurls	native				
<b>Family: Lauraceae (laurel)</b>						
<i>Persea palustris</i>	swamp bay	native				

## Plant Species List for Telegraph Creek Preserve

Scientific Name	Common Name	Status	EPPC	FDA	IRC	FNAI
<b>Family: Lentibulariaceae (bladderwort)</b>						
<i>Pinguicula pumila</i>	small butterwort	native			R	
<b>Family: Malvaceae (mallow)</b>						
<i>Urena lobata</i>	caesarweed	native	II			
<b>Family: Myricaceae (bayberry)</b>						
<i>Myrica cerifera</i>	wax myrtle	native				
<b>Family: Myrtaceae (myrtle)</b>						
<i>Eugenia uniflora</i>	Surinam cherry	exotic	I			
<i>Melaleuca quinquenervia</i>	punktree	exotic	I			
<i>Rhodomyrtus tomentosa</i>	rose myrtle	exotic	I			
<b>Family: Nymphaeaceae (waterlily)</b>						
<i>Nuphar advena</i>	spatterdock	native				
<b>Family: Olacaceae (olax)</b>						
<i>Ximenia americana</i>	hog plum	native				
<b>Family: Oleaceae (olive)</b>						
<i>Fraxinus caroliniana</i>	pop ash	native			R	
<b>Family: Onagraceae (eveningprimrose)</b>						
<i>Ludwigia repens</i>	creeping primrosewillow	native				
<b>Family: Orobanchaceae (broomrape)</b>						
<i>Buchnera americana</i>	American bluehearts	native				
<b>Family: Oxalidaceae (woodsorrel)</b>						
<i>Oxalis corniculata</i>	common yellow woodsorrel	native				
<b>Family: Polygalaceae (milkwort)</b>						
<i>Polygala grandiflora</i>	showy milkwort	native				
<b>Family: Polygonaceae (buckwheat)</b>						
<i>Polygonum punctatum</i>	dotted smartweed	native				
<b>Family: Ranunculaceae (buttercup)</b>						
<i>Clematis baldwinii</i>	pine-hyacinth	native			R	
<b>Family: Rosaceae (rose)</b>						
<i>Rubus argutus</i>	sawtooth blackberry	native				
<b>Family: Rubiaceae (madder)</b>						
<i>Cephalanthus occidentalis</i>	common buttonbush	native				
<i>Psychotria sulzneri</i>	shortleaf wild-coffee	native				
<i>Spermacoce verticillata</i>	shrubby false buttonweed	exotic				
<b>Family: Rutaceae (citrus)</b>						
<i>Citrus sinensis</i>	orange	exotic				
<b>Family: Salicaceae (willow)</b>						
<i>Salix caroliniana</i>	Carolina willow	native				
<b>Family: Sapindaceae (soapberry)</b>						
<i>Acer rubrum</i>	red maple					
<b>Family: Sapotaceae (sapodilla)</b>						
<i>Sideroxylon reclinatum</i>	Florida bully	native			R	
<b>Family: Solanaceae (nightshade)</b>						
<i>Solanum viarum</i>	tropical soda apple	exotic	I			
<b>Family: Urticaceae (nettle)</b>						
<i>Boehmeria cylindrica</i>	false nettle	native				
<b>Family: Verbenaceae (vervain)</b>						
<i>Callicarpa americana</i>	American beautyberry	native				
<i>Phyla nodiflora</i>	capeweed	native				

## Plant Species List for Telegraph Creek Preserve

Scientific Name	Common Name	Status	EPPC	FDA	IRC	FNAI
<b>Family: Veronicaceae (speedwell)</b>						
<i>Bacopa monnieri</i>	herb-of-grace	native				
<i>Linaria canadensis</i>	Canada toadflax	native			R	
<b>Family: Violaceae (violet)</b>						
<i>Viola lanceolata</i>	bog white violet	native			I	
<b>Family: Viscaceae (mistletoe)</b>						
<i>Phoradendron leucarpum</i>	oak mistletoe	native			CI	
<b>Family: Vitaceae (grape)</b>						
<i>Vitis shuttleworthii</i>	calloose grape	native			R	
<i>Vitis rotundifolia</i>	muscadine					

### Key

#### Florida EPPC Status

- I = species that are invading and disrupting native plant communities
- II = species that have shown a potential to disrupt native plant communities

#### FDACS (Florida Department of Agriculture and Consumer Services)

- E = Endangered
- T = Threatened
- CE = Commercially Exploited

#### IRC (Institute for Regional Conservation)

- CI = Critically Imperiled
- I = Imperiled
- R = Rare

#### FNAI (Florida Natural Areas Inventory)

- G= Global Status
- T= Threatened
- CE= Commercially Exploited

- 1= Critically imperiled because of extreme rarity (5 or fewer occurrences or less than 1000 individuals) or because of extreme vulnerability to extinction due to some natural or man-made factor.
- 2= Imperiled because of rarity (6 to 20 occurrences or less than 3000 individuals) or because of vulnerability to extinction due to some natural or man-made factor.
- 3= Either very rare and local throughout its range (21-200 occurrences or less than 10,000 individuals) or found locally in a restricted range or vulnerable to extinction from other factors.
- 4= Apparently secure
- 5= Demonstrably secure